

Recorded flowering plants, ferns and conifers

| Latin name | English Name | Compartment locations |
|---|--------------------------------------|-----------------------|
| <i>Acer campestre</i> | Field Maple | 8, 9 |
| <i>Acer pseudoplatanus</i> | Sycamore | 1,2,3,4,6,7,8,9,10,11 |
| <i>Achillea millefolium</i> | Yarrow | 1,2,6,7,8,9 |
| <i>Aegopodium podagraria</i> | Ground-elder | 6,11 |
| <i>Aesculus hippocastanum</i> | Horse-chestnut | 1,2,4,6,9,10,11 |
| <i>Agropyron repens</i> , ssp of <i>Elytrigia repens</i> | Couch-grasses | 2,8 |
| <i>Agrostis capillaris</i> , equiv. to <i>A. tenuis</i> | Common Bent | 1,2,3,4,6,10,11 |
| <i>Agrostis stolonifera</i> | Creeping Bent | 1,2,3,4,6,8,10,11 |
| <i>Aira praecox</i> | Early Hair-grass | 1,3,9,11 |
| <i>Ailanthus altissima</i> | Tree-of-heaven | 5 |
| <i>Alliaria petiolata</i> | Garlic Mustard, Jack-by-the-hedge | 1,2,3,7,8,10,11 |
| <i>Allium ursinum</i> | Ransoms | 2 |
| <i>Allium vineale</i> | Wild Onion, Crow Garlic | 2,3,7,8,9 |
| <i>Alopecurus pratensis</i> | Meadow Foxtail | 1,3,6,7,8,9 |
| <i>Anemone nemorosa</i> | Wood Anemone | 2, 5 |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal Grass | 10 |
| <i>Anthriscus sylvestris</i> | Cow Parsley | 1,2,3,6,7,8,9,10,11 |
| <i>Aphanes arvensis</i> | Parsley-piert | 9 |
| <i>Arctium minus</i> | Lesser Burdock | 1,8,9,10,11 |
| <i>Armoracia rusticana</i> | Horse-radish | 1 |
| <i>Arrhenatherum elatius</i> | False Oat-grass | 2,3,6,8 |
| <i>Artemisia vulgaris</i> | Mugwort | 1,2,3,6,7,9,10,11 |
| <i>Arum maculatum</i> | Lords-and-Ladies, Cuckoo-pint | 2,4,11 |
| <i>Atriplex prostrata</i> equiv. to <i>A. hastata</i> | Spear-leaved Orache | 2,9,11 |
| <i>Ballota nigra</i> | Black Horehound | 1,9 |
| <i>Barbarea vulgaris</i> | Winter-cress | 4 |
| <i>Bellis perennis</i> | Daisy | 6,9,10 |
| <i>Betula pendula</i> | Silver Birch | 1,2,3,4,6,7,8,9,10,11 |
| <i>Betula pubescens</i> | Downy Birch | 11 |
| <i>Bidens tripartita</i> | Trifid Bur-marigold | 3,4 |
| <i>Brachypodium sylvaticum</i> | False Brome | 6,11 |
| <i>Bromus mollis</i> equiv. to <i>B. hordeaceus</i> | Soft-brome | 2,9,11 |
| <i>Bromus sterilis</i> equiv. to <i>Anisantha sterilis</i> | Barren Brome | 1,2,3,4,6,7,8,9 |
| <i>Bryonia dioica</i> | White Bryony | 8 |

| | | |
|---|------------------------|--|
| <i>Callitriche hamulata</i> | Intermediate | |
| equiv. to <i>C.intermedia</i> | Water-starwort | 4 (in Rush Pond, 1997) |
| <i>Callitriche stagnalis</i> | Common | |
| | Water-starwort | 11 |
| <i>Calluna vulgaris</i> | Ling; heather | 8,10,11 |
| <i>Calystegia sepium</i> | Hedge Bindweed | 2 |
| <i>Calystegia sylvatica</i> | Large Bindweed | 1,6 |
| <i>Campanula rotundifolia</i> | Harebell | 9 (in grass in Cockpit) |
| <i>Capsella bursa-pastoris</i> | Shepherd's-purse | 1,3,9 |
| <i>Cardamine pratensis</i> | Cuckoo Flower, | |
| | Lady's Smock; | 3, (in Overflow Pond) |
| <i>Carex nigra</i> | Common Sedge | 3 (near Overflow Pond) |
| <i>Carex hirta</i> | Hairy Sedge | 9,10,11 |
| <i>Carex pendula</i> | Pendulous Sedge | 4 |
| <i>Carex remota</i> | Remote Sedge | 10 |
| <i>Carpinus betulus</i> | Hornbeam | 10,11 |
| <i>Castanea sativa</i> | Sweet Chestnut | 2,8,10 |
| <i>Centaureum erythraea</i> | Common Centaury | 1 (beside Prickend Pond) |
| <i>Centaurea nigra</i> | Common Knapweed | 1,2,3,4,6,8,9 |
| <i>Cerastium holostea</i> | | |
| equiv. to <i>C.fontanum ssp vulgare</i> | Common Mouse-ear | 8,10 |
| <i>Ceratophyllum demersum</i> | Horn-wort | 3 |
| <i>Chaerophyllum temulum</i> | Rough Chervil | 11 |
| <i>Chelidonium majus</i> | Greater Celandine | 1,2,4,9 |
| <i>Chenopodium polyspermum</i> | Many-seeded | |
| | Goosefoot, Allseed | 7,9 |
| <i>Chenopodium album</i> | Fat-hen | 8,11 |
| <i>Chrysanthemum leucanthemum</i> | | |
| equiv. to <i>Leucanthemum vulgare</i> | Ox-eye daisy | 1 |
| <i>Circaea lutetiana</i> | Enchanter's-nightshade | 2,10,11 |
| <i>Cirsium arvense</i> | Creeping Thistle | 6,7,8,9,11 |
| <i>Cirsium vulgare</i> | Spear Thistle | 1,2,3,4,6,7 |
| <i>Claytonia perfoliata</i> | | |
| equiv. to <i>Montia perfoliata</i> | Spring Beauty | 8 (in 1998) |
| <i>Convallaria majalis</i> | Lily-of-the-valley | 5,6,11 |
| <i>Convolvulus arvensis</i> | Field Bindweed | 6 |
| <i>Corylus avellana</i> | Hazel | 4,6,8,9,10,11 |
| <i>Crassula helmsii</i> | New Zealand | |
| | Pigmyweed | 1,4 (dense around Rush Pond, few around Prickend Pond) |
| <i>Crataegus monogyna</i> | Hawthorn | 1,2,3,4,6,7,8,9,11 |
| <i>Crepis capillaris</i> | Smooth Hawk's-beard | 2,4,6,7,8,9,11 |
| <i>Crepis taraxacifolia,</i> | | |
| <i>ssp of C.vesicaria</i> | Beaked Hawk's-beard | 2,3,9,10 |
| <i>Cymbalaria muralis</i> | Ivy-leaved Toadflax | 6 |
| <i>Cynosurus cristatus</i> | Crested Dog's-tail | 3 |
| <i>Cyperus eragrostis</i> | Pale Galingale | 4 (beside Rush Pond) |

| | | |
|--|------------------------------|---|
| <i>Dactylis glomerata</i> | Cock's-foot | 1,2,3,4,6,7,9,10,11 |
| <i>Daucus carota</i> | Wild Carrot | 1 |
| <i>Deschampsia cespitosa</i> | Tufted Hair-grass | 4 |
| <i>Deschampsia flexuosa</i> | Wavy Hair-grass | 3,8,9,10 |
| <i>Digitalis purpurea</i> | Foxglove | 2,3,11 |
| <i>Diploxys tenuifolia</i> | Perennial Wall-rocket | 5 |
| <i>Dipsacus fullonum</i> | Teasel | 8 |
| <i>Dryopteris dilatata</i> | Broad Buckler-Fern | 1,4,10,11 |
| <i>Dryopteris filix-mas</i> | Male-fern | 2,4,10,11 |
| <i>Eleocharis palustris</i> | Common Spike-rush | 3 (in Overflow Pond) |
| <i>Elymus caninus</i> | Bearded Couch | 2 (beside main footpath, southern end) |
| <i>Epilobium adenocaulon</i> equiv. to <i>E. ciliatum</i> | American Willowherb | 2, 11 |
| <i>Epilobium augustifolium</i> equiv. to | | |
| <i>Chamaenerion augustifolium</i> | Rosebay Willowherb | 2,3,4,8,9,10,11 |
| <i>Epilobium hirsutum</i> | Great Willowherb | 1,4,11 |
| <i>Epilobium montanum</i> | Broad-leaved Willowherb | 2,4,11 |
| <i>Equisetum telmateia</i> | Great Horsetail | 4 |
| <i>Erica tetralix</i> | Cross-leaved Heath | 10,8 |
| <i>Erica Cinerea</i> | Bell heather | 10 |
| <i>Euonymus europaeus</i> | Spindle | 5 (in centre of wood) |
| <i>Fagus sylvatica</i> | Beech | 1,2,4,6,8,9,10,11 (as Copper Beech in 6) |
| <i>Festuca rubra</i> | Red Fescue | 3,8,9 |
| <i>Festuca gigantea</i> | Giant Fescue | 2,4,10,11 |
| <i>Festuca tenuifolia</i> | Sheep's fescue | 3, 7, 8, 9 |
| <i>Foeniculum vulgare</i> | Fennel | 9 |
| <i>Frangula alnus</i> | Alder Buckthorn | 11 |
| <i>Fraxinus excelsior</i> | Ash | 1,2,3,6,7,8,9,10 |
| <i>Galanthus nivalis</i> | Snowdrop | 9 |
| <i>Galium aparine</i> | Goosegrass; Cleavers | 1,7,8,9,10,11 |
| <i>Galium palustre ssp. palustre</i> | Marsh-bedstraw | 3 (in Overflow swamp) |
| <i>Galium saxatile</i> | Heath Bedstraw | 3, (in Overflow Glade), 8 |
| <i>Galium verum</i> | Lady's Bedstraw | 1 (near Prickend Pond) |
| <i>Geranium molle</i> | Dove's-foot Crane's-bill | 3,9 |
| <i>Geranium pratense</i> | Meadow Crane's-bill | 1 |
| <i>Geranium robertianum</i> | Herb-Robert | 8,10,11 |
| <i>Geranium rotundifolium</i> | Round-leaved Crane's-bill | 3, (near St Mary's, Hawkwood Lane), 9 |
| <i>Geranium sanguineum</i> | Bloody Crane's-bill | 9 |
| <i>Geum urbanum</i> | Wood Avens, Herb Bennet | 2,3,7,10,11 |
| <i>Glechoma hederacea</i> | Ground-ivy | 11 |
| <i>Glyceria fluitans</i> | Floating Sweet-grass | 2,3 (in Overflow Pond), 4 (near Rush Pond) |
| <i>Hedera helix</i> | Ivy | 1,2,3,4,6,7,8,9,10,11 |

| | | |
|--|-----------------------------|--|
| <i>Heracleum sphondylium</i> | Hogweed | 1,7,8,9,11 |
| <i>Hieracium perpropinquum</i> equiv. to <i>H. sabaudum</i> | Hawkweed | 10 |
| <i>Hieracium pilosella</i> equiv. to <i>Pilosella officinarum</i> | Mouse-ear-hawkweed | 6,7,11 |
| <i>Holcus lanatus</i> | Yorkshire-fog | 2,3,6,8,9 |
| <i>Hordium murinum</i> | Wall Barley | 1,2,6,7,8,11 |
| <i>Hyacinthoides non-scripta</i> | Bluebell | 1,2,3,4,5,6,9,10,11 |
| <i>Hydrocotyle vulgaris</i> | Marsh Pennywort | 3 (in Overflow swamp) |
| <i>Hypericum androsaemum</i> | Tutsan | 11 |
| <i>Hypochaeris radicata</i> | Cat's-ear | 1,2,3,7,8,9,10 |
| <i>Ilex aquifolium</i> | Holly | 1,2,3,4,6,7,9,10,11 |
| <i>Impatiens parviflora</i> | Small Balsam | 10,11 |
| <i>Iris pseudacorus</i> | Yellow Iris, Yellow Flag | 1, 2, 3 (near Overflow Pond) |
| <i>Juncus conglomeratus</i> | Compact Rush | 3, 4 |
| <i>Juncus effusus</i> | Soft Rush | 2,3,4 11 |
| <i>Lactuca serriola</i> | Prickly Lettuce | 1 (banks around Prickend Pond) |
| <i>Lamium album</i> | White Dead-nettle | 1,4, 8, 9 |
| <i>Lamium purpureum</i> | Red Dead-nettle | 9 |
| <i>Lapsana communis</i> | Nipplewort | 2,10,11 |
| <i>Lathyrus grandiflorum</i> | Everlasting pea | 2 (beside fences near Hangman's Corner) |
| <i>Lemna minor</i> | Common Duckweed | 1 (Prickend Pond) |
| <i>Leontodon autumnalis</i> | Autumn Hawkbit | 11 |
| <i>Ligustrum vulgare</i> | Wild Privet | 11 |
| <i>Linaria vulgaris</i> | Common Toadflax | 9 |
| <i>Lolium perenne</i> | Perennial Rye-grass | 2,3,6,7,8,9,11 |
| <i>Lonicera periclymenum</i> | Honeysuckle | 2,4,10,11 |
| <i>Lotus corniculatus</i> | Bird's-foot-trefoil | 1,10 |
| <i>Lotus pedunculatus</i> equiv to <i>L. uliginosus</i> | Marsh Bird's-foot-trefoil | 3,10 |
| <i>Lunaria annua</i> | Honesty | 9 |
| <i>Luzula campestris</i> | Field Wood-rush | 1,3,8,9,10,11 |
| <i>Lycopus europaeus</i> | Gypsywort | 1,4 |
| <i>Lysimachia nemorum</i> | Yellow Pimpernel | 10 |
| <i>Lysimachia nummularia</i> | Creeping-Jenny | 10 |
| <i>Lythrum salicaria</i> | Purple-loosestrife | 3 (in Overflow Pond) |
| <i>Malus sylvestris</i> | Crab Apple | 3,8,9,10,11 |
| <i>Malva neglecta</i> | Dwarf Mallow | 1 (beside Prickend Pond), 11, also verge on north Side of Royal Parade |
| <i>Malva sylvestris</i> | Mallow | 2 |
| <i>Matricaria matricarioides</i> equiv. to <i>M. discoidia</i> | Pineapple-weed | 4,8,11 |
| <i>Medicago lupulina</i> | Black Medick | 11 |

| | | |
|------------------------------------|-------------------------|---|
| <i>Melampyrum pratense</i> | Common cow-wheat | 2,3 |
| <i>Melica uniflora</i> | Wood Melick | 2,4,10,11 |
| <i>Mentha aquatica</i> | Water Mint | 4 (by Rush Pond) |
| <i>Mercurialis perennis</i> | Dog's Mercury | 10,11 |
| <i>Milium effusum</i> | Wood Millet | 10 |
| <i>Molinia caerulea</i> | Purple Moor-grass | 3,4,10,11 |
| <i>Mycelis muralis</i> | Wall Lettuce | 9 (against school wall) |
| <i>Myosotis ramosissima</i> | Early Forget-me-not | 9 |
| <i>Myosotis scorpioides</i> | Water Forget-me-not | 4 (beside Rush Pond) |
| <i>Myosotis sylvatica</i> | Wood Forget-me-not | 11 |
| <i>Myriophyllum alterniflorum</i> | Alternate Water-milfoil | 4 (in Rush Pond) |
| <i>Odontites vernus</i> | Red Bartsia | 9 |
| <i>Ornithopus perpusillus</i> | Bird's-foot | 3 (beside Overflow Pond), 10 |
| | | |
| <i>Pentaglottis sempervirens</i> | Green Alkanet | 1,2,7,9 |
| <i>Petasites fragrans</i> | Winter heliotrope | 10 (verge near fire gate) |
| <i>Philadelphus coronarius</i> | Mock-orange | 3 |
| <i>Phleum nodosum</i> | | |
| equiv to <i>P.bertolonii</i> | Smaller Cat's-tail | 1,2,3,9,11 |
| <i>Plantago coronopus</i> | Buck's-horn Plantain | 7, 8, (in front of pavilion) |
| <i>Plantago lanceolata</i> | Ribwort Plantain | 1,2,3,6,7,8,9,11 |
| <i>Plantago major</i> | Greater Plantain | 2,3,6,7,9,10,11 |
| <i>Poa annua</i> | Annual Meadow-grass | 1,3,4,9,10,11 |
| <i>Poa nemoralis</i> | Wood Meadow-grass | 3,10,11 |
| <i>Poa pratensis</i> | Smooth Meadow-grass | 3,7,8,11 |
| <i>Polygonatum multiflorum</i> | Solomon's-seal | 3 (behind War Memorial), 6 (near Watts Lane) |
| <i>Polygonum aviculare</i> | Knotgrass | 1,2,4,6,7,8,9,10,11 |
| <i>Polygonum cuspidatum</i> | | |
| Equiv. to <i>Fallopia japonica</i> | Japanese Knotweed | 1,2 |
| <i>Polygonum hydropiper</i> | Water Pepper | 11 |
| <i>Polygonum persicaria</i> | | |
| equiv to <i>P. maculosa</i> | Redshank | 3,9,10,11 |
| <i>Populus x canadensis</i> | Hybrid Black-poplar | 1 (by Prickend Pond), 11 (north end of bridleway) |
| <i>Potentilla erecta</i> | Tormentil | 3,10 |
| <i>Potentilla reptans</i> | Creeping Cinquefoil | 6,10 |
| <i>Poterium sanguisorba</i> | | |
| equiv. to <i>Sanguisorba minor</i> | Salad Burnet | 1 (on Loop Road) |
| <i>Prunella vulgaris</i> | Selfheal | 4,10 |
| <i>Prunus avium</i> | Wild Cherry | 2,3 |
| <i>Prunus cerasifera</i> | Cherry Plum | 9, beside Gravel Pit |
| <i>Prunus cerasus</i> | Dwarf Cherry, | |
| | Sour Cherry | 3 (opposite old Post Office) |
| <i>Prunus domestica</i> | | |
| var. <i>insititia</i> | Bullace; Damson | 11 (beside bridleway) |

| | | |
|---|-----------------------|---|
| <i>Prunus laurocerasus</i> | Cherry Laurel | 3 |
| <i>Prunus communis</i> | Pear | 3 |
| <i>Prunus serotina</i> | Rum Cherry | 11 |
| <i>Prunus spinosa</i> | Blackthorn | 6 |
| <i>Pteridium aquilinum</i> | Bracken | 1,2,3,4,6,8,9,10,11 |
| <i>Quercus ilex</i> | Evergreen Oak, | |
| | Holm Oak | 6 |
| <i>Quercus robur</i> | Pedunculate Oak | 1,2,3,4,6,7,8,9,10,11 |
| <i>Ranunculus acris</i> | Meadow Buttercup | 3,4,8,10,11 |
| <i>Ranunculus bulbosus</i> | Bulbous Buttercup | 1,7,8,9 |
| <i>Ranunculus ficaria</i> | Lesser Celandine | 3,4,9,10,11 |
| <i>Ranunculus flammula</i> | Lesser Spearwort | 3 (Overflow swamp), 4 (by Rush Pond) |
| <i>Ranunculus repens</i> | Creeping Buttercup | 1,2,3,4,9,10,11 |
| <i>Rhododendron ponticum</i> | Rhododendron | 10,11 |
| <i>Rorippa sylvestris</i> | Creeping Yellow-cress | 1 (Prickend Pond), 3 (Overflow swamp) 4 (Rush Pond) |
| <i>Rubus fruticosus</i> agg. | | |
| equiv to <i>R.</i> section <i>glandulosi</i> | Bramble | 1,2,3,4,6,7,8,9,10,11 |
| <i>Rubus idaeus</i> | Raspberry | 3,9,11 |
| <i>Rumex acetosa</i> | Common Sorrel | 3,7,8,9,10 |
| <i>Rumex acetosella</i> | Sheep's Sorrel | 1,3,8,9,11 |
| <i>Rumex obtusifolius</i> | Broad-leaved Dock | 1,2,3,6,7,8,9,10,11 |
| <i>Rumex sanguineus</i> | Wood Dock | 2,3,4,11 |
| <i>Ruscus aculeatus</i> | Butcher's-broom | 11 |
| <i>Salix pentandra</i> | Bay Willow | 1,3,4 |
| <i>Saponaria officinalis</i> | Soapwort | 9 |
| <i>Sonchus oleraceus</i> | Smooth Sow-thistle | 8,11 |
| <i>Sorbus aria</i> | Whitebeam | 8,11 |
| <i>Sorbus aucuparia</i> | Rowan | 2,3,7,8,10 |
| <i>Sorbus intermedia</i> | Swedish Whitebeam | 11 |
| <i>Spergularia rubra</i> | Sand Spurry | 9 (edge of Cockpit) |
| <i>Stachys sylvatica</i> | Hedge Woundwort | 2,10,11 |
| <i>Stellaria alsine</i> | | |
| equiv. to <i>S. uliginosa</i> | Bog Stitchwort | 3,8,10 |
| <i>Stellaria holostea</i> | Greater Stitchwort | 11 |
| <i>Stellaria media</i> | Chickweed | 1,2,3,6,7,8,9,10 |
| <i>Symphoricarpos albus</i> | Snowberry | 9 |
| <i>Tamus communis</i> | Black Bryony | 4 |
| <i>Taraxacum laevigatum</i> | | |
| equiv. to <i>T.</i> section <i>Erythrospermae</i> | Lesser Dandelion | 9 |
| <i>Taraxacum officinale</i> | | |
| equiv to <i>T.</i> section <i>Ruderalia</i> | Dandelion | 1,2,3,6,7,8,9,10,11 |
| <i>Taxus baccata</i> | Yew | 2,3,4,6,8,9,10,11 |
| <i>Teucrium scorodonia</i> | Wood Sage | 3,4,10,11 |
| <i>Tilia platyphyllos</i> | Large-leaved Lime | 2,4,5,6,7,8,9,11 |
| <i>Torilis japonica</i> | Upright Hedge-parsley | 7,10,11 |
| <i>Tragopogon pratensis</i> | Goat's-beard | 6,8,9 |
| <i>Trifolium campestre</i> | Hop Trefoil | 3 |

| | | |
|-------------------------------|-------------------------------|------------------------------------|
| <i>Trifolium dubium</i> | Lesser Trefoil | 7,8,9,10 |
| <i>Trifolium micranthum</i> | Slender Trefoil | 3 (beside Overflow Pond) |
| <i>Trifolium pratense</i> | Red Clover | 2,3 |
| <i>Trifolium repens</i> | White clover | 3,4,7,10 |
| <i>Ulex europaeus</i> | Gorse | 1,2,4,6,7,8,9,10,11 |
| <i>Ulmus procera</i> | English Elm | 1,2,8,11 |
| <i>Urtica dioica</i> | Stinging Nettle | 1,2,3,4,6,7,9,10,11 |
| <i>Verbascum thapsis</i> | Great Mullein, Aaron's rod | 9 |
| <i>Veronica arvensis</i> | Wall Speedwell | 1 (south bank of Prickend Pond) |
| <i>Veronica beccabunga</i> | Brooklime | 10 |
| <i>Veronica chamaedrys</i> | Germander Speedwell | 1,3,4,8,10,11 |
| <i>Veronica hederifolia</i> | Ivy-leaved Speedwell | 9 |
| <i>Veronica serpyllifolia</i> | Thyme-leaved Speedwell | 3,10,11 |
| <i>Vicia cracca</i> | Tufted Vetch | 3 (beside Overflow Pond) |
| <i>Vicia sativa</i> | Common Vetch | 1,3,7,9,11 |
| <i>Viola reichenbachiana</i> | Early Dog-violet | 3 |
| <i>Viola riviniana</i> | Common Dog-violet | 10 |

